



Contents of *Aquaculture*, Volume 231

VOL. 231 NOS. 1–4

5 March 2004

Diseases

- Disease resistance of Pacific white shrimp, *Litopenaeus vannamei*, following the dietary administration of a yeast culture food supplement
J.E. Burgents, K.G. Burnett and L.E. Burnett (Charleston, SC, USA). 1
- Efficacy of oral reimmunisation after immersion vaccination against *Vibrio vulnificus* in farmed European eels
M. Dolores Esteve-Gassent (Puçol, Burjassot, Spain), B. Fouz (Burjassot, Spain), R. Barrera (Puçol, Valencia, Spain) and C. Amaro (Burjassot, Spain). 9
- Passive immunization of rainbow trout (*Oncorhynchus mykiss*) with chicken egg yolk immunoglobulins (IgY)
N. Arasteh (Vancouver, British Columbia, Canada), A.-H. Aminirissehei (Burnaby, British Columbia, Canada), A.N. Yousif (Vancouver, British Columbia, Canada), L.J. Albright (Burnaby, British Columbia, Canada) and T.D. Durance (Vancouver, British Columbia, Canada) 23

Genetics

- Physical mapping of the Nile tilapia (*Oreochromis niloticus*) genome by fluorescent in situ hybridization of repetitive DNAs to metaphase chromosomes—a review
C. Martins, C. Oliveira, A.P. Wasko (Botucatu, Brazil) and J.M. Wright (Halifax, Nova Scotia, Canada). 37
- Comparisons between the growth of *Acanthopagrus butcheri* cultured from broodstock from two estuarine populations that are reproductively isolated and differ markedly in growth rate
G.J. Partridge (Fremantle, Australia), G.A. Sarre, N.G. Hall (Murdoch, Australia), G.I. Jenkins (Fremantle, Australia), J. Chaplin and I.C. Potter (Murdoch, Australia) 51
- Effects of post-ovulatory oocyte ageing and temperature on egg quality and on the occurrence of triploid fry in rainbow trout, *Oncorhynchus mykiss*
S. Aegerter and B. Jalabert (Rennes, France) 59
- Comparative growth of selected and non-selected Kuruma shrimp *Penaeus (Marsupenaeus) japonicus* in commercial farm ponds; implications for broodstock production
N.P. Preston, P.J. Crocos, S.J. Keys, G.J. Coman (Queensland, Australia) and R. Koenig (Woongoolba, Australia). 73
- Phylogenetic relationships of ornamental (koi) carp, Oujiang color carp and Long-fin carp revealed by mitochondrial DNA COII gene sequences and RAPD analysis
C.-h. Wang and S.-f. Li (Shanghai, China) 83
- An RFLP database for authentication of commercial cyst samples of the brine shrimp *Artemia* spp. (International Study on *Artemia* LXX)
P. Bossier, W. Xiaomei, F. Catania, S. Dooms (Oostende, Ghent, Belgium), G. Van Stappen (Ghent, Belgium), E. Naessens (Baasrode, Belgium) and P. Sorgeloos (Ghent, Belgium). 93
- Modeling fillet traits based on body measurements in three Nile tilapia strains (*Oreochromis niloticus* L.)
M.J.M. Rutten, H. Bovenhuis and H. Komen (Wageningen, The Netherlands). 113

Husbandry and Management

- Effects of stocking different fractions of size graded juvenile prawns on production and population structure during a temperature-limited growout period
J.H. Tidwell, S.D. Coyle and S. Dasgupta (Frankfort, KY, USA) 123
- Effectiveness of releasing gilthead sea bream (*Sparus aurata*, L.) for stock enhancement in the bay of Cádiz
A. Sánchez-Lamadrid (Cádiz, Spain) 135
- Instream community assessment of aquaculture effluents
W.W. Stephens and J.L. Farris (Arkansas, AR, USA) 149
- 2-D hydrodynamic model simulating paddlewheel-driven circulation in rectangular shrimp culture ponds
Y.H. Kang, M.O. Lee, S.D. Choi (Yeosu, South Korea) and Y.-S. Sin (Mokpo, South Korea) 163
- Maternal variability in the blacklip abalone, *Haliotis rubra* leach (Mollusca: Gastropoda): effect of egg size on fertilisation success
S.M.H. Huchette (Melbourne, Australia; Brest, France), J.P. Soulard (Paris, France), C.S. Koh and R.W. Day (Melbourne, Australia) 181
- Substitution of fish meal by co-extruded soybean poultry by-product meal in practical diets for the Pacific white shrimp, *Litopenaeus vannamei*
T.M. Samocha (Corpus Christi, TX, USA), D.A. Davis (Auburn, AL, USA), I.P. Saoud (Beirut, Lebanon) and K. DeBault (Corpus Christi, TX, USA) 197
- A new approach to pearl oyster broodstock selection: can saibo donors be used as future broodstock?
H. Acosta-Salmón, E. Martínez-Fernández and P.C. Southgate (Townsville, Australia) 205
- Development of a numerical model to study the dispersion of wastes coming from a marine fish farm in the Ligurian Sea (Western Mediterranean)
A.M. Doglioli, M.G. Magaldi, L. Vezzulli and S. Tucci (Genova, Italy) 215
- Effect of stocking density on growth, survival and cheliped injuries of stage 2 juvenile signal crayfish *Pasifastacus leniusculus* Dana
R. Savolainen (Valkola, Finland), K. Ruohonen (Turku, Finland) and E. Railo (Helsinki, Finland) 237
- Sorting Eurasian perch fingerlings (*Perca fluviatilis* L.) with and without functional swim bladder using tricaine methane sulfonate
F. Jacquemond (Pois, France) 249
- Water flow requirements in the intensive production of Atlantic salmon (*Salmo salar* L.) parr-smolt at two salinity levels
S. Fivelstad (Bergen, Norway), A. Bergheim (Stavanger, Norway), P.M. Hølland and A.B. Fjermedal (Dirdal, Norway) 263
- Feeding-regime experiments to enhance gamete production in the carnivorous Sea Urchin *Arbacia spatuligera*
J. Silva, A. Larrain, E. Bay-Schmith and R. Roa (Concepción, Chile) 279
- The use of sea urchins to control fouling during suspended culture of bivalves
C. Lodeiros and N. García (Sucre, Venezuela) 293
- Reproductive response of Nile tilapia (*Oreochromis niloticus*) to photoperiodic manipulation; effects on spawning periodicity, fecundity and egg size
A. Campos-Mendoza, B.J. McAndrew (Stirling, UK), K. Coward (Oxford, UK) and N. Bromage (Stirling, UK) 299
- Evaluation of the neutral red assay as a stress response indicator in cultivated mussels (*Mytilus* spp.) in relation to post-harvest processing activities and storage conditions
J.M. Harding, C. Couturier, G.J. Parsons (St. John's, Newfoundland, Canada) and N.W. Ross (Halifax, Nova Scotia, Canada) 315
- Behavioural role of zinc on primary productivity, plankton and growth of a freshwater teleost, *Labeo rohita* (Hamilton)
S. Adhikari and S. Ayyappan (Bhubaneswar, India) 327
- A protocol for the on-site use of frozen milt from rainbow trout (*Oncorhynchus mykiss* Walbaum) applied to the production of progeny groups: comparing males from different populations
R. Salte (Aas, Norway), A. Galli, U. Falaschi (Rivolta d'Adda (CR), Italy), K.T. Fjalestad (Aas, Norway) and R. Aleandri (Rivolta d'Adda (CR), Italy) 337

Behavioural responses under different feeding methods and light regimes of the African catfish (<i>Clarias gariepinus</i>) juveniles P. Almazán-Rueda (Wageningen, Netherlands; Sinaloa, Mexico), J.W. Schrama and J.A.J. Verreth (Wageningen, Netherlands)	347
Integrated aquaculture: rationale, evolution and state of the art emphasizing seaweed biofiltration in modern mariculture A. Neori (Eilat, Israel), T. Chopin (Saint John, Canada), M. Troell (Stockholm, Sweden), A.H. Buschmann (Puerto Montt, Chile), G.P. Kraemer (Purchase, NY, USA), C. Halling (Stockholm, Sweden), M. Shpigel (Eilat, Israel) and C. Yarish (Stamford, CT, USA)	361
Effects of photoperiod on the performance of farmed Nile tilapia <i>Oreochromis niloticus</i> : I. Growth, feed utilization efficiency and survival of fry and fingerlings A.-F. El-Sayed and M. Kawanna (Al Ain, United Arab Emirates)	393
Nutrition	
Essential fatty acids for larval mud crab <i>Scylla serrata</i> : implications of lack of the ability to bioconvert C18 unsaturated fatty acids to highly unsaturated fatty acids M.A. Suprayudi, T. Takeuchi (Tokyo, Japan) and K. Hamasaki (Okinawa, Japan)	403
Effect of dietary non-protein energy levels on condition and oxidative status of Senegalese sole (<i>Solea senegalensis</i>) juveniles R. Rueda-Jasso (Ghent, Belgium), L.E.C. Conceição (Faro, Portugal), J. Dias (Oporto, Portugal), W. De Coen (Antwerp, Belgium), E. Gomes (Oporto, Portugal), J.F. Rees (Louvain-la-Neuve, Belgium), F. Soares, M.T. Dinis (Faro, Portugal) and P. Sorgeloos (Ghent, Belgium)	417
Growth, feed utilization and body composition of black catfish, <i>Rhamdia quelen</i> , fry fed diets containing different protein and energy levels M. Salhi, M. Bessonart, G. Chediak, M. Bellagamba and D. Carnevia (Montevideo, Uruguay)	435
Dietary brewers yeast and the prebiotic Grobiotic™ AE influence growth performance, immune responses and resistance of hybrid striped bass (<i>Morone chrysops</i> × <i>M. saxatilis</i>) to <i>Streptococcus iniae</i> infection P. Li and D.M. Gatlin III (College Station, TX, USA)	445
Effects of dehulled soybean meal as a fish meal replacer in diets for fingerling and growing Korean rockfish <i>Sebastes schlegeli</i> S.R. Lim, S.M. Choi, X.J. Wang, K.W. Kim (Pusan, South Korea), I.S. Shin (Seoul, South Korea), T.S. Min (Daejeon, South Korea) and S.C. Bai (Pusan, South Korea)	457
A method for radiolabeling <i>Artemia</i> with applications in studies of food intake, digestibility, protein and amino acid metabolism in larval fish S. Morais, L.E.C. Conceição, M.T. Dinis (Faro, Portugal) and I. Rønnestad (Bergen, Norway)	469
Stability of astaxanthin from red yeast, <i>Xanthophyllomyces dendrorhous</i> , during feed processing: effects of enzymatic cell wall disruption and extrusion temperature T. Storebakken, M. Sørensen (Ås, Norway), B. Bjerkeng (Sunndalsøra, Norway), J. Harris, P. Monahan and S. Hiu (Columbia, MD, USA)	489
Optimum feeding rates for European sea bass <i>Dicentrarchus labrax</i> L. reared in seawater and freshwater O.T. Eroldoğan, M. Kumlu (Adana, Turkey) and M. Aktaş (Hatay, Turkey)	501
Limiting the use of rotifers to the first zoeal stage in mud crab (<i>Scylla serrata</i> Forskål) larval rearing I.M. Ruscoe, G.R. Williams and C.C. Shelley (Darwin, Australia)	517
Regulation of feed intake, growth, nutrient and energy utilisation in European sea bass (<i>Dicentrarchus labrax</i>) fed high fat diets T. Boujard, A. Gélinau (Saint Pée sur Nivelle, France), D. Covès (Palavas les flots, France), G. Corraze (Saint Pée sur Nivelle, France), G. Dutto, E. Gasset (Palavas les flots, France) and S. Kaushik (France)	529
Physiology and Endocrinology	
Testing various substances that have been bound to plastic plates with agar to induce larval settlement and metamorphosis of abalone <i>Haliotis discus discus</i> (Reeve) A.E. Stott, T. Takeuchi (Konan, Japan) and Y. Koike (Chiba, Japan)	547

Triploid hybridization of fast-growing transgenic mud loach <i>Misgurnus mizolepis</i> male to cyprinid loach <i>Misgurnus anguillicaudatus</i> female: the first performance study on growth and reproduction of transgenic polyploid hybrid fish	
Y.K. Nam, I.-S. Park and D.S. Kim (Busan, South Korea)	559
Effect of dissolved oxygen on the acid–base balance and ion concentration of Taiwan abalone <i>Haliotis diversicolor supertexta</i>	
W. Cheng (Pingtung, Taiwan, ROC), C.-H. Liu, S.-Y. Cheng and J.-C. Chen (Chilung, Taiwan, ROC)	573
Hormonal effects on sex differentiation and growth in sunshine bass <i>Morone chrysops</i> × <i>Morone saxatilis</i>	
K.B. Davis and G.M. Ludwig (Stuttgart, AR, USA)	587
Book reviews	
Farming freshwater prawns. A manual for the culture of the giant river prawn (<i>Macrobrachium rosenbergii</i>)	
J.F. Wickins (Wales, UK)	597
Responsible Marine Aquaculture	
L. Kelly (Edinburgh, UK)	599
Contents of Aquaculture, Volume 231	601